Genentech takes the health and safety of our patients, customers, employees, and local communities very seriously, and we are actively responding to the global COVID-19 pandemic. For more, please visit our COVID-19 response page or call 1-877-436-3683.



CeliCept has been helping appropriate



Prescribing Information

Why CellCept

CellCept® (mycophenolate mofetil) is a prescription medicine for people who have had a kidney, heart, or liver transplant. CellCept can help prevent rejection of the transplanted organ. After the transplant, you may take several of these anti-rejection medicines to keep your immune system from rejecting the transplant.

CellCept has been approved by the Food and Drug Administration (FDA) for use in children and adults who have had a kidney transplant. It is not known if CellCept works or is safe in children who have had a heart or liver transplant.

CellCept is available in multiple forms for adults and children who have had a transplant.



Not actual size and may not represent exact color. CellCept is also available in an intravenous form for use in hospitals.

IMPORTANT SAFETY INFORMATION & INDICATION

See More **✓**

INDICATION

WHAT IS CELLCEPT?

- CellCept® (mycophenolate mofetil) is a prescription medicine to prevent rejection (antirejection medicine) in people who have received a kidney, heart or liver transplant. Rejection is when the body's immune system perceives the new organ as a "foreign" threat and attacks it.
- CellCept is used with other medicines containing cyclosporine and corticosteroids.

WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT CELLCEPT? CELLCEPT CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

Increased risk of loss of a pregnancy (miscarriage) and higher risk of birth defects. Females who take CellCept during pregnancy have a higher risk of miscarriage during the first 3 months (first trimester), and a higher risk that their baby will be born with birth defects.

- If you are a female who can become pregnant, your doctor must talk with you about acceptable birth control methods (contraceptive counseling) to use while taking CellCept. You should have 1 pregnancy test immediately before starting CellCept and another pregnancy test 8 to 10 days later. Pregnancy tests should be repeated during routine follow-up visits with your doctor. Talk to your doctor about the results of all of your pregnancy tests. You must use acceptable birth control during your entire CellCept treatment and for 6 weeks after stopping CellCept, unless at any time you choose to avoid sexual intercourse (abstinence) with a man completely. CellCept decreases blood levels of the hormones in birth control pills that you take by mouth. Birth control pills may not work as well while you take CellCept, and you could become pregnant. If you take birth control pills while using CellCept you must also use another form of birth control. Talk to your doctor about other birth control methods that you can use while taking CellCept.
- If you are a sexually active male whose female partner can become pregnant while you are taking CellCept, use effective contraception during treatment and for at least 90 days after stopping CellCept.
- If you plan to become pregnant, talk with your doctor. Your doctor will decide if

 IMPORTEX NOTES TO INTEREST TO INTEREST.
- If you become pregnant while taking CellCept, do not stop taking CellCept.

 INDIGATION doctor right away. You and your doctor may decide that other medicines

 WHAT PSE YELL (1995) may be right for you. You and your doctor should report your

pregnancy to the Mycophenolate Pregnancy Registry either:

Cell Cept (mycaphenolate mofetil) is a prescription medicine to prevent rejection (antirejection) the chief he had allowed a prescription medicine to prevent rejection (antirejection) the chief had allowed and allowed a prescription medicine to prevent rejection (antirejection) the chief had allowed a prescription medicine to prevent rejection (antirejection) the chief had allowed a prescription medicine to prevent rejection (antirejection) the chief had allowed a prescription medicine to prevent rejection (antirejection) and chief had allowed a prescription medicine to prevent rejection (antirejection) and chief had allowed a prescription medicine to prevent rejection (antirejection) and chief had allowed a prescription medicine to prevent rejection (antirejection) and chief had allowed a prescription medicine to prevent rejection (antirejection) and chief had allowed a prescription medicine to prevent rejection (antirejection) and chief had allowed a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription medicine to prevent rejection (antirejection) and chief had a prescription and chief had a prescription of the prevent rejection (antirejection) and chief had a prescription of the prevent rejection (antirejection) and chief had a prescription and chief had a prescription (antirejection) and chief had a prescripti

The pour construction in the presentation of the property of t

WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT CELLCEPT?
INCLUDING:
People who take CellCept have a higher risk of getting certain cancers. People who take CellCept have a higher risk of getting lymphoma, and other cancers, especially skin cancer. Tell your doctor if locreased risk of loss of a pregnancy (miscarriage) and higher risk of birth defects. Females who take CellCept during pregnancy have a higher risk of miscarriage during the hist of months (first trimester), and a higher risk that their baby will be born with birth defects.

- abpett appetable birthupphtrol methods (contraceptive counseling) to use while
- มูลหุ่างมาโคยให้ออกช่องประกังเหติ อัสเทอ 1 pregnancy test immediately before starting CellCept and another pregnancy test 8 to 10 days later. Pregnancy tests should be

Increased track brigge tracking self-box - Intrecitions: the process of the body scholar but systems and the else which restants and the else which restants and the else of the book of the bornous in birth control pills

- Wiral infections Certain Syruses can live in your body and cause active infections when your amount as weak Viral infections that can happen with Cell Cept Cept, and you could be come pregnant. If you take birth control pills while using included you must also use another form of birth control. Talk to your doctor about other shingles other herpes infections and cytomegalovirus (CMY). CMV can cause
- If you are a sexually active male whose female partner can become pregnant while you are taking cenceffect how would kidney works and cause your end and for attreast 90 days after stopping CellCept.
- If you pratities become pregnant, patities wire so to the work of the works of the work of the work
- indication called white taking weltitepa! Le ukoence had no checkent.

 INDIEATION of the property of the following symptoms:

Cell Copp of the same problem by the complete problem by the problem of the complete problem of the co

The reunger ristriction in the interest and the method in the properties of the particular of the properties of the particular of the part

baby CellCept and can cause serious tissue and blood infections (See "What are the WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT CELLCEPT?").

CELLCEPT?

CELLCEPT:

CELLCEPT:

CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

CELLCEPT CA

- ˈkp/s/ˈkp/tb/n-ջ/tbգեն as an upset stomach, stomach pain, vomiting or diarrhea
- ៖ គ្នងក្រុមក្រឡាងក្នុង គ្រូក្រែបក្រសាវទៅ methods (contraceptive counseling) to use while
- taking Cell Centary Should have 1 pregnancy test immediately before starting
- CellCept and another pregnancy test 8 to 10 days later. Pregnancy tests should be

Increased the big of the big serious interests with a probability to be the system of the big serious and the contraction of the big serious and the contraction of the big serious and th

completely. CellCept decreases blood levels of the hormones in birth control pills

• Viral infections. Certain viruses can live in your body and cause active infections.

WHAT SHOULD IT JELL WIT BOCTOR BEFORE TAKING CELLCEPTS Pregnant TELL WOLLD BEFORE TO WAS A STORY OF THE LIVE CONDITIONS, PORT OF THE LIVE CONDITIONS OF THE LIVE CONDITIONS.

• If you pratities become pregnation at the practice of the property of the pr

have the digestive problems it such as different in less of the less of the problems it such as different in less of the problems it such as a flect you see More > have a free problem of the problems it is the problem of the problems of t

INDICATION blanched a limit of may cause an infection of the brain that may cause in the brain that may cause an infection of the brain that may cause an infection of the brain that may cause the heavy decide that other medicines have been always be right for your doctor should report your what is the control of the property of the

- Cell che property the state of the property of
- Channe to the transfer of the plant of the control of the parties of the control of the control
- aseapyeoleaning and relative and page and relative and see "What is the most important

The rice against in the control of t baby er location of the second AT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT acceptible side of the classification of the control o beleased risk of getting certain cancers. People who take Cell Cept have a higher Tolly of court turce the range in convinter the content of the con paraggariakoof Jean ef a pregnaean i (reis caeriage) and heighes up beaf chirthsome defente some land the transfer of the property ete in the particular for the property of the particular particula with a province black skin lesion with Hoseon bereensoar one part of the lesion does not

- የውሄỷዙթቴክፍያ፣ፄዌሮh as an upset stomach, stomach pain, vomiting or diarrhea
- History of the participal for the process of the participal for the pa
- physical and the second participation of the second partic
- taking participated and the pa
- Continue to the pregnancy test 8 to 10 days later. Pregnancy tests should be

Incressage to the control of the con systeth can relation to a light containing the state of t Sencitating in the state of the inclipated at the time work agreem to avoid be and the time and with the man

nompletaler Call Gentaler cases blood levels of the hormones in birth control pills Wiral infections. Certain viruses can live in your body and cause active infections who is infections with the live in the control of the live infections in the control of the live infections that can happen with Cell Cept sufferences active infections that can happen with Cell Cept sufferences active infections. The live infections that can happen with Cell Cept sufferences active infections.

Do.n | Schille | College |

WHAT SHOULD TELEVISION DISCUSSION CONDITIONS OF THE PROPERTY O

CALL CONTROL OF THE PROPERTY AS A STATE OF TAKING CENTED IN THE CONTROL OF THE CO

- Celicipation and the second se
- The property of the property o
 - as the most important as the most important

baby a chorene the chorene of the proposition of the thought of the war stailed se what is the most important information is should know about the proposition is independent and continue to the continue of **Tases fier with action extension and actions are aligher. The confidence of the con** Tell statet taxa the aligner covery bre the curtar descriptions and list in terminary state call by local type of the control Mathandariakoff Jest effa Dregnauch insis cauriage) and big best in heafth some

- WHAT SHORT SOLL AND BOOK IN CONDITIONS OF THE SECOND PROPERTY OF THE
- See More **∨**

PARTY OF THE PROPERTY OF THE PARTY OF THE PA

- What Is CellCept® (mycophenolate mofetil)? Education of the state of the s HOW SHOULD IN TAKE CET VERY AND AND A SHOULD IN THE RESIDENCE OF THE PROPERTY OF THE PROPERTY
- WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT CELLCEPT. Tell sparrime the algue ten in the transfer the consideration of the con The property of the property o parased isket les main of a provide the parameter of the

The most common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cept include:

How should be a common side effects of Cell Cep baby mentreastending control of profits a deliberation of the control of the cont Here the content of t drisket las neta prepagrovitais carriage and bigger upstent birdhome Avoid be attisted and control of all the second and a sec